

To,

Dated 26/12/2023

The Principal,

Ambah Post Graduate Autonomous College,

Ambah, Morena M.P.

Subject: **Regarding implementations made by the green audit committee.**

Respected Sir,


The desired information regarding the above subject is that-

OVERALL RECOMMENDATIONS BY THE GREEN AUDIT

COMMITTEE

STATUS

- | | |
|---|---|
| 1. In order to promote tree conservation, All the information sought by the office of the college/various in-charges concerned should be paperless. | 1. IMPLEMENTED |
| 2. Wi Fi Internet is very necessary to promote new teaching technology in the college campus. | 2. Wi-Fi facility is available in most of the campus |
| 3. Lab waste water quantity is not measured and drained in a tank. | 3. IMPLEMENTED |
| 4. Planning of chemical consumption and purchase to be ensured. | 4. Measures are being taken for this. |
| 5. Composting of bio degradable waste to be scientifically done. | 5. IMPLEMENTED |
| 6. Septic tank sewage water analysis is to be done. | 6. Measures are being taken for this. |
| 7. Plan for green belt development to be prepared. | 7. 40% of the open area is cover under green belt |
| 8. Drinking water analysis shall be done as per ISO Certification. | 8. Proposed |
| 9. Rain water Harvesting is to be done technically. | 9. IMPLEMENTED |
| 10. Reduction of wood policy. | 10. The College has reduced use of wood by using steel/fiber furniture. Most of the college work like admission, fee deposit, notifications etc are being done digitally. |
| 11. Department wise electrical load consumption is to be done. | 11. Energy audit is proposed in the future. |
| 12. Awareness for energy and water conservation among students and staff by displaying boards. | 12. Efforts are being made to save energy and reduce water consumption. Students are made aware to save energy through NSS, NCC, RED CROSS. |
| 13. Automatic leak detections in water flowing pipeline. | 13. Not IMPLEMENTED |
| 14. Water usage reduction techniques to be used. Drip irrigation is strongly recommended. | 14. Sprinkler system has been installed in the Garden to reduce water consumption. |
| 15. Tree plantation shall be done to maintain biodiversity as well as artificial nesting shall be installed. | 15. Tree plantation programmes are organized every year in the month of July/August to maintain bio diversity. |
| 16. D. G. set monitoring/Exhaust gas analysis shall be done. | 16. D G set Exhaust systems are installed. Measures are being taken for D G set Exhaust Gas analysis. |
| 17. Awareness among students and staff about green environment shall be done using tools like display boards etc. | 17. IMPLEMENTED |


Co - Ordinator
(Dr. Dinesh Rawat)


26/12/23